

Upon Instructions from A. John Page & Associates, Receiver



MAJOR DIE CASTING FACILITY PUBLIC AUCTION

HAMILTON, ONTARIO, CANADA

THURS, JULY 10TH 2008 @ 10AM

Preview & Inspection: Wednesday, July 9 from 9am-5pm

1 OF 3
1993-1994
3500 TON

FEATURING: (18) DIE CAST MACHINES
• PRINCE • TOSHIBA • HPM
UP TO 3500 TON

Unable to Attend? 
Bid from the comfort of your office, in real time via the internet.
To register visit: www.bidspotter.com

Maynards
SINCE 1902

Industries Ltd.
Auctions • Liquidations • Appraisals

5409 Eglinton Ave. West
Suite 202
Toronto ON M9C 5K6
www.maynards.com
Tel: (416) 242-3560
Fax: (416) 242-5085

Visit Us On The Internet! www.maynards.com
• Industrial Auctions & Liquidations
• Consumer Product Liquidations
• Fine Art & Antiques Auctions
• Appraisals • Contact Information & More



1994

PRINCE 3069CCA Die Cast Machine



1993

(2) PRINCE 3069CCA Die Cast Machines

DIE CAST MACHINES

- **1994 PRINCE 3069CCA 3500 Ton Die Cast Machine** w/83.5x83.5" Tie Bar Spacing, 69x69" Tie Bar Clearance, Variable Bottom Shot Position, Tie Bar Diameter 14.5", Cover Platen Thickness 33.75", Cover Platen Thickness Bore 19", Shot Stroke 50/58", Min. Die Height 39.75", Max. Die Height 79.75", Die Stroke 53", Ejection Stroke 10", Ejection Draw Bar Length 63.5", Draw Bar 1½, Rimrock 410H Reciprocator, Gasmac GRHA-6000 Furnace, Snair 1-222-550-907 Ladle, s/n D94017
- **1993 PRINCE 3069CCA 3500 Ton Die Cast Machine** w/83.5x83.5" Tie Bar Spacing, 69x69" Tie Bar Clearance, Variable Bottom Shot Position, Tie Bar Diameter 14.5", Cover Platen Thickness 33.75", Cover Platen Thickness Bore 19", Shot Stroke 50/58", Min. Die Height 39.75", Max. Die Height 79.75", Die Stroke 53", Ejection Stroke 10", Ejection Draw Bar Length 63.5", Draw Bar 1½, Rimrock 410-80 Reciprocator, Gasmac GRHA-6000 Furnace, Snair 1-907-2225500 Ladle, s/n D93012
- **1993 PRINCE 3069CCA 3500 Ton Die Cast Machine** w/83.5x83.5" Tie Bar Spacing, 69x69" Tie Bar Clearance, Variable Bottom Shot Position, Tie Bar Diameter 14.5", Cover Platen Thickness 33.75", Cover Platen Thickness Bore 19", Shot Stroke 50/58", Min. Die Height 39.75", Max. Die Height 79.75", Die Stroke 53", Ejection Stroke 10", Ejection Draw Bar Length 63.5", Draw Bar 1¾, Rimrock 410H Reciprocator, Gasmac GRHA-6000 Furnace, Snair 1-907-222550 Ladle, s/n D93010
- **1994 (RE-BUILT 98) TOSHIBA DC-2500 CS 2800 Ton Die Cast Machine** w/1930x2030mm Tie Bar Spacing, 1600x1700mm Tie Bar Clearance, Center Shot Position, Bottom Shot Position 350mm, Tie Bar Diameter 330mm, Cover Platen Thickness 780mm, Cover Platen Thickness Bore 450mm, Shot Stroke 1200mm, Min. Die Height 1245mm, Max. Die Height 1830mm, Die Stroke 1350mm, Ejection Stroke 250mm, Ejection Draw Bar Length 44.875mm, Draw Bar 1 3/4, Rimrock 410H Reciprocator, Gasmac GRHA-4000 Furnace, Snair 1-906 (1998) Ladle, s/n R97394
- **1997 HPM 11-1800-A 1800 Ton Die Cast Machine** w/65x65" Tie Bar Spacing, 54x54" Tie Bar Clearance, Center Shot Position, Variable Bottom Shot Position 13.78/15", Tie Bar Diameter 11", Cover Platen Thickness 20", Cover Platen Thickness Bore 15", Shot Stroke 38/44", Min. Die Height 27", Max. Die Height 64", Die Stroke 36", Ejection Stroke 8", Ejection Draw Bar Length 28.5", Draw Bar 1¼, Rimrock 410H Reciprocator, Gasmac GRH-5000 Furnace, Snair 1-906-22650 Ladle, s/n 97311
- **1984 PRINCE 1651CCA 1600 Ton Die Cast Machine** w/62x62" Tie Bar Spacing, 51x51" Tie Bar Clearance, Center Shot Position, Bottom Shot Position 15", Tie Bar Diameter 11", Cover Platen Thickness 19.75", Cover Platen Thickness Bore 15.75", Shot Stroke 36", Min. Die Height 38", Max. Die Height 58", Die Stroke 32", Ejection Stroke 10", Ejection Draw Bar Length 37.75", Draw Bar 1½, Rimrock 410H Reciprocator, Gasmac GRH-4000 Furnace, Snair 907 Ladle, s/n D84003
- **1999 TOSHIBA DC800 CLS 800 Ton Die Cast Machine** w/1110x1110mm Tie Bar Spacing, 930x930mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 180mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Rimrock 410 Reciprocator, Gasmac GRHA-4000 Furnace, Snair 906-103 Ladle, s/n 861 E32
- **1998 TOSHIBA DC800 CLS 800 Ton Die Cast Machine** w/1110x1110mm Tie Bar Spacing, 930x930mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 180mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Rimrock 410 Reciprocator, Gasmac GRHA-4000 Furnace, Snair 906-103 Ladle, s/n 851 E52
- **1997 TOSHIBA DC800 CLS 800 Ton Die Cast Machine** w/1110x1110mm Tie Bar Spacing, 930x930mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 180mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Ejection Draw Bar Length 27.950mm, Draw Bar 1 3/8, Rimrock 410 Reciprocator, Gasmac GRHA-4000 Furnace, Snair Ladle s/n 841 E88



1994

TOSHIBA DC-2500 CS Die Cast Machine



1997

HPM 11-1800-A Cast Machine



PRINCE 1651CCA Die Cast Machine




(3) TOSHIBA DC-800 CLS Die Cast Machines

DIE CAST MACHINES

- **1996 TOSHIBA DC800C 800 Ton Die Cast Machine** w/1040x1040 Tie Bar Spacing, 850x850mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 190mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Toshiba Reciprocator, Gasmac GRHA-4000 Furnace, Snair Ladle s/n 831 E78
- **1994 TOSHIBA DC800C 800 Ton Die Cast Machine** w/1040x1040mm Tie Bar Spacing, 850x850mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 190mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Toshiba Reciprocator, Gasmac GRHA-4000 Furnace, Snair Ladle, s/n 821 E85
- **1994 TOSHIBA DC800C 800 Ton Die Cast Machine** w/1040x1040mm Tie Bar Spacing, 850x850mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 190mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Toshiba Reciprocator, Gasmac GRHA-4000 Furnace, Snair Ladle, s/n 821 E51
- **1994 TOSHIBA DC800C 800 Ton Die Cast Machine** w/1040x1040mm Tie Bar Spacing, 850x850mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 190mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Toshiba Reciprocator, Gasmac GRHA-4000 Furnace, Snair Ladle, s/n 821 854
- **1993 TOSHIBA DC800C 800 Ton Die Cast Machine** w/1040x1040mm Tie Bar Spacing, 850x850mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 190mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Toshiba Reciprocator, Gasmac GRHA-4000 Furnace, Snair Ladle, s/n 811 E76
- **1987 TOSHIBA DC800C 800 Ton Die Cast Machine** w/1040x1040mm Tie Bar Spacing, 850x850mm Tie Bar Clearance, Bottom Shot Position 12mm, Tie Bar Diameter 190mm, Cover Platen Thickness 550mm, Cover Platen Thickness Bore 190mm, Shot Stroke 750mm, Min. Die Height 570mm, Max. Die Height 950mm, Die Stroke 760mm, Ejection Stroke 125mm, Toshiba Reciprocator, Gasmac GRHA-4000 Furnace, Snair Ladle, s/n 8H1 591
- **1979 TOSHIBA DC800C 800 Ton Die Cast Machine** w/1120x1120mm Tie Bar Spacing, 930x930mm Tie Bar Clearance, Center Shot Position, Bottom Shot Position 12mm, Tie Bar Diameter 190mm, Cover Platen Thickness 547mm, Cover Platen Thickness Bore 287mm, Shot Stroke 762mm, Min. Die Height 700mm, Max. Die Height 965mm, Die Stroke 760mm, Ejection Stroke 125mm, Ejection Draw Bar Length 28mm, Draw Bar 1 1/2, Rimrock 410 Reciprocator, Gasmac GRHA-4000 Furnace, Advance Ladle, s/n 801 214
- **1997 TOSHIBA DC350CL 350 Ton Die Cast Machine** w/650x650mm Tie Bar Spacing, Die Stroke 420mm, Toshiba Reciprocator, Gasmac GRHA-2000 Furnace, Toshiba Ladle, s/n 861D

On-Line Bidding Available
Register at www.bidspotter.com



(8) TOSHIBA DC-800 C Die Cast Machines



TOSHIBA DC-350 CL Die Cast Machine



11 AVAILABLE

METAL MECHANICS 35 Ton Trim Presses



2 AVAILABLE

CORSTEEL 50 Ton Trim Press



5 AVAILABLE

UNIFIED ENGINEERING Hydronic Leak Testers



TOS TRENCIN SUI 50/2000 Lathe



TOS TRENCIN SN32 Lathe

TRIM PRESSES

TOOL ROOM

COMPRESSORS

SUPPORT EQUIPMENT

- (11) 1999-1993 METAL MECHANICS 35 Ton Trim Presses
- (2) 2003-1998 CORSTEEL 50 Ton Trim Presses
- (4) 2003-1994 CORSTEEL 35 Ton Trim Presses
- 1997 CORSTEEL 30 Ton Trim Press

- TOS TRENCIN Mod. SUI 50/2000 Lathe
- TOS TRENCIN Mod. SN32 Lathe
- TOS FGS 25/32 Vertical Milling Machine w/XYZ Readout
- EXCELLO Mod. 602 Vertical Milling Machine
- HYD-MECH Mod. S-20 Metal Cutting Band Saw
- DARBERT Microcut Vertical Milling Machine w/ Powertable
- GORTON Tool Grinder
- EVERETT Mod. 14-16 Cut-Off Saw
- TOS HOLKE BPH320A Surface Grinder w/12"x48" Bed
- KALAMAZOO Startrite Metal Cutting Band Saw
- MAZAK 5-12 5' Radial Arm Drill
- Misc. Tool Room Equipment
- Large Quantity of Misc. Spare Parts

- (2) QUINCY QSI 1000 200hp Rotary Screw Air Compressors
- (2) QUINCY Vertical Tank Mounted Compressors

VEHICLES

- (2) NISSAN Mod. 80 Forklifts, 8,000 lb. cap., Propane
- (2) TCM Forklifts, 8,000 lb. cap., Propane
- YALE Forklift, 8,000 lb. cap., Propane
- ALLIS CHALMERS ACE-150 Forklift, 12,000 lb. cap., Electric w/Charger
- 16' Boston Whaler w/50hp Merc, Easy Hauler Trailer (As New), Cover
- (2) Die Platforms w/100,000 & 50,000 lb. cap.
- SKYJACK Scissor Lift

- Qty. of Solid and Mesh Parts Bins
- Pallet Racking
- Die Racking w/10,000 lb. cap. Per Shelf
- AVERY Weigh-Tronix Above-Ground Truck Scale w/72,500 kg cap.
- ROLLSEAL PolarCool Cool Mist Machine
- Quantity of Ladels, Misc. Power Conveyors, Welding Carts, Testing Equipment, Shop Fans, Misc. Hand Tools, Small Tools

OFFICE EQUIPMENT

- Large Qty. of Desks, Chairs, Cabinets, Etc.



HYD-MECH Mod. S-20 Band Saw



DARBERT Milling Machine



EXCELLO Milling Machine



MAZAK Radial Arm Drill



12"x48" BED

TOS HOLKE BPH320A Surface Grinder



TOS FGS 25/32 Milling Machine



KALAMAZOO Startrite Band Saw



(2) TCM Forklifts



QUINCY Vertical Tank Compressors



QUINCY RSI-1000 200hp Compressors



NISSAN Mod. 80 Forklift



Die Platforms

**UP TO
100,000#**



SKYJACK Scissor Lift



Die Racking, 10,000 lb. shelf cap.



ROLL SEAL Polar Cool Cool Mist Machine



72,500 KG

EVERY Truck Scale



Misc. Tool Room Equipment



Parts Bins



Spare Machine Parts



Tool Crib



Electric Forklift, 12,000 lb. cap.



16' Boston Whaler



Powered Conveyor

PUBLIC AUCTION



AmCan Castings Ltd.

**THURS, JULY 10TH/08
10:00 AM**

Preview & Inspection: Wednesday, July 9 from 9am-5pm

**10 HILLYARD ST.
HAMILTON, ONTARIO**


**FEATURING: (18) DIE CAST MACHINES
• PRINCE • TOSHIBA • HPM
UP TO 3500 TON**



(2) PRINCE 3069CCA Die Cast Machines



TOSHIBA DC-2500 CS Die Cast Machine



**10 HILLYARD ST.
HAMILTON, ON**

**DRIVING DIRECTIONS FROM
LESTER B. PEARSON INTL.
AIRPORT (TORONTO, ON):**

Head southeast toward Convair Dr; Continue straight onto Britannia Rd E; Turn left to stay on Britannia Rd E; Turn left at Dixie Rd; Turn right at Eastgate Pkwy; Merge onto HWY-403 W via the ramp on Hamilton; Take the exit on the left onto HWY-407 ETR W (Partial toll road); Take the Fairview St/QEW exit toward Niagara; Merge onto QEW; Take exit 89 for Burlington St; Merge onto Burlington St E; Continue on Industrial Dr; Slight left at Burlington St E; Turn left at Hillyard St

Approx. 60 kms / 1 hour

TERMS & CONDITIONS:

PAYMENT: 25% NON-REFUNDABLE DEPOSIT ON AWARD OF BID, BALANCE WITHIN 24 HOURS. PAYMENT IS CASH, CASHIER'S CHEQUE, CERTIFIED CHEQUE, WIRE TRANSFER, COMPANY CHEQUE ONLY IF ACCOMPANIED BY A LETTER FROM YOUR BANK GUARANTEEING AMOUNT OF CHEQUE FOR DEPOSIT AND/OR PAYMENT IN FULL. NO PERSONAL CHEQUES. FULL PAYMENT MUST BE MADE BEFORE REMOVAL OF PURCHASE.

REMOVAL: LAST DAY OF REMOVAL IS FRIDAY, AUGUST 29, 2008, AND AS FURTHER DEFINED IN THE SALE CATALOGUE. EVERYTHING IS SOLD "AS IS, WHERE IS." ALL SALES FINAL. COST AND RESPONSIBILITY FOR REMOVAL OF PURCHASE REMAINS WITH THE PURCHASER. EVERY EFFORT WILL BE MADE TO FACILITATE REMOVAL. WHILE QUANTITIES AND DESCRIPTIONS ARE BELIEVED TO BE ACCURATE, THE AUCTIONEER, OWNERS OR COUNSEL MAKE NO WARRANTIES OR GUARANTEES EITHER EXPRESSED OR IMPLIED AS TO AUTHENTICITY, GENUINENESS OF, OR DEFECTS IN ANY LOT AND WILL NOT BE HELD RESPONSIBLE FOR ANY ADVERTISING DISCREPANCIES OR INACCURACIES. NO WARRANTIES WHATSOEVER ARE MADE AS TO CONDITION, MERCHANTABILITY OR FITNESS FOR USE OF ANY ITEM. MAY WE SUGGEST YOU TAKE FULL ADVANTAGE OF THE PREVIEW AND INSPECTION PERIOD. SALE SUBJECT TO ADDITIONS & DELETIONS

BUYERS PREMIUMS: 12% ON-SITE, 15% ON-LINE

Unable to Attend?



Bid from the comfort of your office, in real time via the internet.

To register visit:
www.bidspotter.com



Industries Ltd.

Auctions • Liquidations • Appraisals

5409 Eglinton Ave. West
Suite 202

Toronto ON M9C 5K6

www.maynards.com

Tel: (416) 242-3560

Fax: (416) 242-5085

Idle Assets?

Maynards Specializes in Asset Conversion of Industrial Equipment and Commercial Inventories. We offer:

Cash • Guarantees • Commission • Confidential Appraisals

5 Offices To Serve You

www.maynards.com